



**9700 Series**  
Heavy Duty Cutting

822-9706 Shown

**Features**

- Bronze Head
  - *Low Maintenance*
- Nickel alloy triangular tubes
  - *Rigid and durable*

Stock Number	Inches	Centimeters	Lbs.	Kgs.	Head Angle (deg.)	Max. Cutting Capacity
822-9705	21	53	3.1	1.4	75°	12" (30.5 cm)
822-9706	21	53	3.1	1.4	90°	12" (30.5 cm)
822-9710	21	53	3.1	1.4	180°	12" (30.5 cm)
822-9740	36	91	3.5	1.6	180°	12" (30.5 cm)
822-9755	36	91	3.5	1.6	75°	12" (30.5 cm)
822-9756	36	91	3.5	1.6	90°	12" (30.5 cm)
822-9760	48	122	6.5	2.9	180°	12" (30.5 cm)
822-9785	48	122	6.5	2.9	75°	12" (30.5 cm)
822-9786	48	122	6.5	2.9	90°	12" (30.5 cm)
822-9795	72	183	9.0	4.1	75°	12" (30.5 cm)
822-9796	72	183	9.0	4.1	90°	12" (30.5 cm)



**9500 Series**  
Heavy Duty Cutting in Rugged Environments

822-9516 Shown

**Features**

- Stainless Steel
  - *Low Maintenance*
- Nickel alloy triangular tubes
  - *Rigid and durable*

Stock Number	Inches	Centimeters	Lbs.	Kgs.	Head Angle (deg.)	Max. Cutting Capacity
822-9510	21	53	3.1	1.4	180°	12" (30.5 cm)
822-9515	21	53	3.1	1.4	75°	12" (30.5 cm)
822-9516	21	53	3.1	1.4	90°	12" (30.5 cm)
822-9540	36	91	3.5	1.6	180°	12" (30.5 cm)
822-9555	36	91	3.5	1.6	75°	12" (30.5 cm)
822-9556	36	91	3.5	1.6	90°	12" (30.5 cm)
822-9560	48	122	6.5	2.9	180°	12" (30.5 cm)
822-9585	48	122	6.5	2.9	75°	12" (30.5 cm)
822-9586	48	122	6.5	2.9	90°	12" (30.5 cm)
822-9590	72	183	9.0	4.1	180°	12" (30.5 cm)
822-9595	72	183	9.0	4.1	75°	12" (30.5 cm)
822-9596	72	183	9.0	4.1	90°	12" (30.5 cm)



**9000 Series**  
Heavy Duty Cutting in Rugged Environments

822-9086 Shown

**Features**

- Stainless Head
  - *Low Maintenance*
- Nickel alloy in-line tubes
  - *Rigid and durable*

Stock Number	Inches	Centimeters	Lbs.	Kgs.	Head Angle (deg.)	Head Type	Trigger
822-9085	21	53	3.06	1.38	75°	Stainless	Yes
822-9086	21	53	3.06	1.38	90°	Stainless	Yes

**Additional Features**

- Tip mix for safety and versatility.
- Corn Cob® handle for maximum operator control
- In-line nickel alloy tubes provide strength and excellent view of cutting path.
- Spring loaded fuel valve provides smooth torque control and anti-backlash for precise flame control.